GROSMAC
REVOLUTIONARY AUTOMATIC MACHINES

FORMADORA DE BARRAS FB600 | BREAD MOULDER FB600



CARACTERÍSTICAS

· Ruedas giratorias para su fácil desplazamiento.
· Cinta de recogida abatible con el fin de reducir el espacio una vez que el trabajo ha concluido.
· Rejilla protección rodillos, con paro automático.
· Máquina de doble recorrido, adaptandose perfectamente a cualquier tipo de masa y sistema de trabajo, bien para pequeños obradores y trabajo manual, o para el tren de laboreo, por lo que lleva incorporado, de serie, un centrador plano con rodillo prelaminador para facilitar la entrada de los rodillos, por mediación de un sistema de fácil manejo.
· Ideal para baguette de 400-450 mm.

CHARACTERISTICS

· Rolling wheels for easy movement.
· Abatible belt for reducing the size when the machine is not working.
· Grill-safety cover for the rollers with automatic stop.
· Machine with double-course, adapted perfectly to any type of dough and working-system, as well as little Bakeries and manual-working, or complete automatic line (divider+Proover+moulder). It has incorporated center-plane with pre-roller-mill to get easier the entrance of the dough to the rollers, through a very simple handling.
· Ideal for baguette 400-450 mm.

Datos Técnicos | Technical Data

DIMENSIONES / DIMENSIONS	mm.
Largo Total / Lenght	2.290
Ancho Total / Width	880
Alto Total / Height	1.210
Altura cinta entrada / Entrance belt height	1.100
Altura cinta salida / Exit belt heigth	810
Ancho cinta salida / Width belt	600

Potencia / Power - 0.75 Kw
Voltaje / Voltage - 230 / 400 V.
Frecuencia / Frequency - 50 / 60 Hz.
Peso / Weight - 350 Kg.

GROSMAC
REVOLUTIONARY AUTOMATIC MACHINES

FORMADORA DE BARRAS FP600 | BREAD MOULDER FP600



CARACTERÍSTICAS

· Ruedas giratorias para su fácil desplazamiento.
· Rejilla protección rodillos, con paro automático.
· Está dotada de una tolva centradora, para el centrado de las piezas con un peso mínimo deseado.
· El sistema de enrollamiento de la pieza hace que se pueda trabajar con un peso bastante bajo. Siendo una máquina de tamaño mediano, trabaja a un alto nivel.
· Ideal para baguette de 400-450 mm.

CHARACTERISTICS

· Rolling wheels for easy movement.
· Grill-safety cover for the rollers with automatic stop.
· The machine is provided with a center-hopper, for centring the pieces on the entrance to the mill-rollers.
· The rolling-system of the pieces makes working with very low weights. Being a medium size machine, works in a high level.
· Ideal for baguette 400-450 mm.

Datos Técnicos | Technical Data

DIMENSIONES / DIMENSIONS	mm.
Largo Total / Lenght	1.100
Ancho Total / Width	880
Alto Total / Height	1.170
Ancho cinta entrada / Entrance belt height	600
Altura tolva entrada / Entrance hopper height	1.200
Altura salida / Exit height	820

Potencia / Power - 0.75 Kw
Voltaje / Voltage - 230 / 400 V.
Frecuencia / Frequency - 50 / 60 Hz.
Peso / Weight - 250 Kg.

GROSMAC
REVOLUTIONARY AUTOMATIC MACHINES

FORMADORA DE BARRAS FV700 | BREAD MOULDER FV700



CARACTERÍSTICAS

· Este modelo de formadora está preparado para trabajar con todo tipo de masas y con un rango de pesos desde 40 gr. a 1300 gr.
· La masa entra a través de la tolva, es enrollada entre dos cintas y sale por la mesa de salida colocada en el frontal de la máquina.
· Muy fácil de manejar y limpiar. Grosor y longitud regulable.
· Ideal para baguette de 600 mm.

CHARACTERISTICS

· This model of moulder is ready for working with all types of dough and in a range of weight from 40 gr. to 1300 gr.
· The dough get in through the hopper and is rolled between two belts and get out on the exit table located in the down side of the moulder.
· Very easy handly, and cleaning. You can regulate the thickness and the lenght of the baguette.
· Ideal for baguette 600 mm.

Datos Técnicos | Technical Data

DIMENSIONES / DIMENSIONS	mm.
Largo total / Lenght	1.000
Ancho total / Width	690
Alto total / Height	690
Peso / Weight	230 KG.
Detector de seguridad tolva / Safety detector hopper	

Potencia / Power - 1.1 Kw
Voltaje / Voltage - 230 / 400 V.
Frecuencia / Frequency - 50 / 60 Hz.

GROSMAC
REVOLUTIONARY AUTOMATIC MACHINES

FORMADORA PAN DE MOLDE FMD440 | TIN BREAD MOULDER FMD440







CARACTERÍSTICAS

- Formadora de pan de molde de 4 rodillos.
- Máquina compacta.
- Adaptable a cualquier tipo de masa.
- Ideal tanto para trabajo manual en obrador como incorpora en el tren de laboreo.
- Ruedas giratorias.

CHARACTERISTICS

- Tin bread moulder with 4 rollers.
- Compact machine.
- Perfectly adapted to any type of dough.
- Both for Little bakeries and manual working or complete automatic line.
- Rolling wheels


Datos Técnicos | Technical Data

DIMENSIONES / MEASURES	
Largo Total / Lenght	1700 mm / 67 In
Ancho Total / Width	900 mm / 35.45 In
Altura cinta salida / Exit belt height	900 mm / 35.45 In

Potencia / Power - 0.37 Kw
Voltaje / Voltage - 220/380V
Frecuencia / Frequency - 50/60Hz
Peso / Weight - 380 kg. 838 lb

GROSMAC
REVOLUTIONARY AUTOMATIC MACHINES

FORMADORA PAN DE MOLDE 6 RODILLOS | TIN BREAD MOULDER 6 ROLLERS



CARACTERÍSTICAS

· Formadora de pan de molde diseñada para trabajar tanto en línea como independiente.
· Compuesta de centradores para la entrada de las piezas, con 3 conjuntos de rodillos laminadores con tratamiento de cromo duro o teflón, regulables en apertura y cierre individual.
· Cada uno de los rodillos está equipado con cuchillas rascadoras.
· Malla de acero inox regulable en altura, doble plancha para un formato progresivo evitando el estrés de las masa.
· La máquina está equipada con un sistema de bloqueo eléctrico en la apertura de puertas para evitar accidentes.


CHARACTERISTICS


· This moulder has been designed for Tin Bread production. It can work independently.
· Composed by centered pieces entrace whith 3 laminating rolling sets treated whit hard chromium or teflón, they can be regulated individually in opening and closing.
· Each roller has scraper blades.
· Stainless steel mesh mail that can be regulated in height,in order to get a progressive moulding that avoids the dough stress.
· When the doors are opened the machine gets automatically blocked inorder to avoid any damage.

Datos Técnicos | Technical Data

DIMENSIONES | MEASURES	
ALTURA / HEIGHT	1800 MM
ANCHO / WIDTH	930 MM
LONGITUD / LENGHT	3670 MM
PESO / WEIGHT	680 KG

POTENCIA / POWER	2.2 KW
VOLTAJE / VOLTAGE	220/380 TRIFÁSICA / THREE-PHASE
FRECUENCIA / FREQUENCY	50/60 HZ





GROSMAC
REVOLUTIONARY AUTOMATIC MACHINES

BOLEADORA ESPIRAL | TUBULAR SPIRAL ROUNDER



EXCELENTE RESULTADO MUY UNIFORME

RESULT VERY UNIFORM


PAN REDONDO GRANDE


CARACTERÍSTICAS

- Es la heñidora que mejor bolea del mercado.
- Hiñe porciones de masa de porcentajes que van del 50 al 70% de agua.
- Dimensiones reducidas.
- No pellizca las masas, no precisa harina gracias a su sistema de aire.
- Hiñe piezas desde 30 hasta 2000 gr.
- Se fabrica en varios modelos según el heñido que se quiera dar a la pieza y en distintas versiones según el acabado que se prefiera para la máquina.


CHARACTERISTICS

- It is the most perfect rounder machine of the market.
- It kneads portions of dough with water percentages ranging from the 50 to 70%.
- Reduced dimensions.
- It does not pinch the dough, it does not require flour thanks to its air system.
- It rounds pieces from 40 to 2000 gr.
- It is manufactured in several models according to the requested pieces and in different versions depending on the desired finishing for the machine.






MODELO A



MODELO B



MODELO C

DISTRIBUIDOR



GROSMAC
REVOLUTIONARY AUTOMATIC MACHINES

BOLEADORA DE BANDAS | V BELT BAND ROUNDER



CARACTERÍSTICAS

- Máquina apta para masas entre 65 y 90 litros de agua por cada 100kg de harina.
- Variador de velocidad, que permite ajustar la velocidad relativa entre bandas para obtener el grado de boleado deseado.
- Apta para piezas de 70g hasta 2200g.
- Angulo entre las dos bandas regulable para ajustar el tamaño de las piezas a bolear.
- Bandeja de recogida de harina.
- Altura regulable.
- Ruedas giratorias para desplazarla con facilidad.


CHARACTERISTICS


- Machine suitable for bread doughs between 65 and 90 liters of water per 100kg of flour.
- Speed variator, which allows to adjust the relative speed between bands to obtain the desired degree of rounded.
- Suitable for pieces from 70g to 2200g.
- Angle between the two adjustable bands to adjust the size of the pieces to be rounded.
- Flour falling tray.
- Adjustable height.
- Rotating wheels to move easily.

Datos Técnicos | Technical Data

MOD.	DIMENSIONES DIMENSIONS				POTENCIA POWER	PESO WEIGHT
	A (mm)	B (mm)	LH (mm)	UH (mm)		
BB14	1400	500	780-1000	880-1110	1.1 kw	250
BB19	1900	500	780-1000	880-1110	1.1 kw	280
BB30	3000	500	780-1000	880-1110	1.1 kw	350

POTENCIA / POWER	1.1 KW.
PESO / WEIGHT	250 KG.
VOLTAJE / VOLTAGE	1X220V





GROSMAC
REVOLUTIONARY AUTOMATIC MACHINES

AUTOMATIC HORIZONTAL SLICER HAMBURGUER for HOT-DOG CAKE





GENERAL FEATURES
Our automatic horizontal slicer is designed for medium and large scaled cake, hamburger and hot-dog producers .



- The cake can be cut in 2 or 3 slices.
- The thickness of the slices can be adjusted manually.
- Upper pressing band can be adjusted manually.
- The cutting speed of the top and bottom bands can be adjusted.
- All surfaces which are contact with the food are made of food stuf friendly materials.
- It works quite silently.

Dimensions (AxBxC)	Weight	Width of the Band	Maximum Slicing Height	Height of the Working Bench	Electrical Power	Motor Power
680 x 1800 x 1160 mm	150 kg	390 mm	90 mm	930 mm	3Ph /380 V / 50 Hz	0,75 Kw